

## Smoky Mountain CBD

344 County Road 875  
Etowah, TN 37331  
ryan@smokymountaincbd.com  
865-310-6466

Sample: 04-11-2023-32244

Sample Received: 04/11/2023;  
Report Created: 04/12/2023; Expires: 04/11/2024

100mg Wellness Capsules  
Ingestible, Capsule



**ND %**  
Total THC

**ND %**  
Δ-9 THC

**12.975 %**  
Total Cannabinoids

**12.935 %**  
Total CBD

## Cannabinoids

(Testing Method: HPLC, CON-P-3000)  
Date Tested: 04/11/2023

Complete

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0088	0.0133	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0088	0.0133	ND	ND
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0088	0.0133	ND	ND
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.0088	0.0133	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0088	0.0133	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0088	0.0133	ND	ND
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0088	0.0133	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0088	0.0133	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.0088	0.0133	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.0088	0.0133	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.0088	0.0133	ND	ND
Cannabidivarin (CBDV)	0.0088	0.0133	0.040	0.396
Cannabidivarinic Acid (CBDVA)	0.0088	0.0133	ND	ND
Cannabidiol (CBD)	0.0088	0.0133	12.935	129.352
Cannabidiolic Acid (CBDA)	0.0088	0.0133	ND	ND
Cannabigerol (CBG)	0.0088	0.0133	ND	ND
Cannabigerolic Acid (CBGA)	0.0088	0.0133	ND	ND
Cannabinol (CBN)	0.0088	0.0133	ND	ND
Cannabinolic Acid (CBNA)	0.0088	0.0133	ND	ND
Cannabichromene (CBC)	0.0088	0.0133	ND	ND
Cannabichromenic Acid (CBCA)	0.0088	0.0133	ND	ND
<b>Total</b>			<b>12.975</b>	<b>129.748</b>

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040%  
Total CBD Measurement of Uncertainty: ± 2.000%  
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers



New Bloom Labs  
6121 Heritage Park Drive, A500  
Chattanooga, TN 37416  
(844) 837-8223  
TN DEA#: RN0563975  
ANAB Testing Laboratory (AT-2868): ISO/IEC  
17025:2017

*Natalie Siracusa*  
Natalie Siracusa  
Laboratory Director

Powered by  
reLIMS  
info@relims.com