

Smoky Mountain CBD

344 County Road 875
Etowah, TN 37331
ryan@smokymountaincbd.com
865-310-6466

Sample: 04-11-2023-32252

Sample Received: 04/11/2023;
Report Created: 04/12/2023; Expires: 04/11/2024

500mg CBN Tincture
Ingestible, Tincture



ND%
Total THC

ND%
Δ-9 THC

16.512 mg/mL
Total Cannabinoids

ND mg/mL
Total CBD

Cannabinoids with Density

(Testing Method: HPLC, CON-P-3000)
Date Tested: 04/11/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass
	mg/mL	mg/mL	mg/mL	mg/g	%
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.093	0.139	ND	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.093	0.139	ND	ND	ND
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.093	0.139	ND	ND	ND
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.093	0.139	ND	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.093	0.139	ND	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.093	0.139	ND	ND	ND
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.093	0.139	ND	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.093	0.139	ND	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.093	0.139	ND	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.093	0.139	ND	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.093	0.139	ND	ND	ND
Cannabidivarin (CBDV)	0.093	0.139	ND	ND	ND
Cannabidivarinic Acid (CBDVA)	0.093	0.139	ND	ND	ND
Cannabidiol (CBD)	0.093	0.139	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.093	0.139	ND	ND	ND
Cannabigerol (CBG)	0.093	0.139	ND	ND	ND
Cannabigerolic Acid (CBGA)	0.093	0.139	ND	ND	ND
Cannabinol (CBN)	0.093	0.139	16.512	17.948	1.795
Cannabinolic Acid (CBNA)	0.093	0.139	ND	ND	ND
Cannabichromene (CBC)	0.093	0.139	ND	ND	ND
Cannabichromenic Acid (CBCA)	0.093	0.139	ND	ND	ND
Total			16.512	17.948	1.795

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040%
Total CBD Measurement of Uncertainty: ± 2.000%
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Sample Density: 0.920 g;



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com