

Smoky Mountain CBD

344 County Road 875
Etowah, TN 37331
ryan@smokymountaincbd.com
865-310-6466

Sample: 04-11-2023-32250

Sample Received: 04/11/2023;
Report Created: 04/12/2023; Expires: 04/11/2024

CBG 500mg Tincture
Ingestible, Tincture



ND%
Total THC

ND%
Δ-9 THC

18.533 mg/mL
Total Cannabinoids

ND mg/mL
Total CBD

Cannabinoids with Density

(Testing Method: HPLC, CON-P-3000)
Date Tested: 04/11/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass
	mg/mL	mg/mL	mg/mL	mg/g	%
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.089	0.135	ND	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.089	0.135	ND	ND	ND
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.089	0.135	ND	ND	ND
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.089	0.135	ND	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.089	0.135	ND	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.089	0.135	ND	ND	ND
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.089	0.135	ND	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.089	0.135	ND	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.089	0.135	ND	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.089	0.135	ND	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.089	0.135	ND	ND	ND
Cannabidivarin (CBDV)	0.089	0.135	ND	ND	ND
Cannabidivarinic Acid (CBDVA)	0.089	0.135	ND	ND	ND
Cannabidiol (CBD)	0.089	0.135	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.089	0.135	ND	ND	ND
Cannabigerol (CBG)	0.089	0.135	18.533	19.674	1.967
Cannabigerolic Acid (CBGA)	0.089	0.135	ND	ND	ND
Cannabinol (CBN)	0.089	0.135	ND	ND	ND
Cannabinolic Acid (CBNA)	0.089	0.135	ND	ND	ND
Cannabichromene (CBC)	0.089	0.135	ND	ND	ND
Cannabichromenic Acid (CBCA)	0.089	0.135	ND	ND	ND
Total			18.533	19.674	1.967

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040%
Total CBD Measurement of Uncertainty: ± 2.000%
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Sample Density: 0.942 g;



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com